

French Limestone

French Limestone is a soft limestone-look surface in the Ivory colourway, made from cement blended with mineral fragments to create gentle variation and a natural, tactile feel. Designed for internal floors and walls, the range allows a consistent look to flow throughout the home while introducing texture where needed.

The collection is available in a matt finish across 600x1200mm, 300x1200mm, 200x1200mm, 600x600mm, 300x600mm, 300x300mm, French Pattern, 300x330mm Brickbond Mosaic, and 200x200mm Tumbled Fingers, supporting both open spaces and detailed areas.

For applications requiring additional surface character, textured options including 600x600mm and French Pattern offer a more tactile finish, ideal for wet areas, entry zones and feature flooring.

French Limestone, Ivory provides a refined, easy-to-spec limestone aesthetic with the flexibility to move seamlessly from large-format layouts to intricate design features within the same material family.

FRENCH LIMESTONE

COLOURS, FORMATS & FINISHES



Matt | P3

Ivory

600 x 1200mm	●
300 x 1200mm	●
200 x 1200mm	●
600 x 600mm	●
300 x 600mm	●
300 x 300mm	●
300 x 330mm Brickbond Mosaic	●
200 x 200mm Tumbled Fingers	●
French Pattern	●

Textured | P5

French Pattern	●
600 x 600mm	●



FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3
FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3





Ivory



300 x 600mm
54801 (Matt)



600 x 600mm
54800 (Matt)
54869 (Textured)



600 x 1200mm
54797 (Matt)



Fingers Mosaic
54805 (Matt)



Brickbond Mosaic
54806 (Matt)



300 x 300mm
54802 (Matt)



300 x 1200mm
54798 (Matt)



200 x 1200mm
54799 (Matt)



French Pattern
54803 (Matt)
54804 (Textured)

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.5\%$	Full range
	Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length and width $\pm 0.2\%$ Thickness $\pm 2.1\%$ Transmutation $\pm 0.2\%$	Full range
	Breaking strength	EN ISO 10545-4	≥ 1300 N	≥ 2208 N	Full range
	Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	≥ 47 N/mm ²	Full range
	Abrasion resistance	EN ISO 10545-7	Class 3 min	Class 3	Full range
	Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	TBC	Matt Textured
	Chemical resistance	EN ISO 10545-13	Min. GB	Class GA	Full range
	Stain resistance	ISO 10545-14	Min class 3	Class 5	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V3	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
Brickbond Mosaic	Matt	11	11.00	2.16 kg	N/A	N/A
Fingers Mosaic	Matt	11	11.00	0.83 kg	N/A	N/A
300 x 300	Matt	11	11.11	22.00 kg	55.44	56
300 x 600	Matt	8	5.56	22.00 kg	57.60	40
600 x 600	Matt Textured	4	2.78	22.00 kg	57.60	40
200 x 1200	Matt	5	4.17	23.00 kg	68.80	54
300 x 1200	Matt	4	2.78	23.00 kg	57.60	40

The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
600 x 1200	Matt	2	1.39	23.00 kg	40.32	28
French Pattern	Matt Textured	6	8.33	23.60 kg	31.68	44



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.