





Glacé

The Glacé collection reinterprets traditional hand-crafted ceramics in a refined brick format, celebrating the beauty of subtle imperfections and gently uneven edges. Inspired by drawn brick tiles, delicate variations in the glaze create an authentic artisanal look, while the glossy finish delivers rich visual depth and tactile appeal.

Available in a 75x200mm format, Glacé comes in six natural colours Avio, Bianco, Blu Notte, Mastice, Muschio, and Turchese. Plus a coordinating three-dimensional structure in every shade. Subtle touches of exposed clay and softly irregular edges enhance its handmade, timeworn character, making Glacé ideal for feature walls and splashbacks.

GLACE

COLOURS, FORMATS & FINISHES

						
Gloss	Bianco	Mastice	Avio	Muschio	Turchese	Blu Notte
75 x 200mm	●	●	●	●	●	●
75 x 200mm 3D	●	●	●	●	●	●

FINISH: **GLOSS** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





Bianco



75X200mm Linear
54758 (gloss)



75x200mm
54752 (gloss)



Mastice




75X200mm Linear
54759 (gloss)



75x200mm
54754 (gloss)

Avio




75X200mm Linear
54771 (gloss)



75x200mm
54753 (gloss)

Muschio




75X200mm Linear
54760 (gloss)



75x200mm
54755 (gloss)

Turchese




75X200mm Linear
54772 (gloss)



75x200mm
54756 (gloss)

Blu Notte



75X200mm Linear
54761 (gloss)



75x200mm
54757 (gloss)

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.5\%$	Full range
	Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length and width $\pm 0.2\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.8\%$	Full range
	Breaking strength	EN ISO 10545-4	≥ 1300 N	≥ 1300 N	Full range
	Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²	Full range
	Abrasion resistance	EN ISO 10545-7	Class 3 min	Class 3	Full range
	Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	N/A	Gloss
	Chemical resistance	EN ISO 10545-13	Min. GB	Class GA, GLA, GLB, GHA, GHB	Full range
	Stain resistance	ISO 10545-14	Min class 3	Class 5	Full range
	Origin	N/A	N/A	Italy	Full range
	Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
75 x 200	Gloss	56	66.67	18.18 kg	63.84	76
75 x 200 - 3D	Gloss	52	66.67	21.28 kg	46.80	60



The data and information contained in these specification sheets are indicative only unless stated otherwise.
As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.
The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.
To the maximum extent permitted by law, Japan Ceramics will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.
No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.