

La Riviera

La Riviera is a range of tiles designed to transform living spaces into inspirational back drops. The range consists of vibrant coloured gloss wall tiles offering a creamy texture reminiscent of hand crafted tiles. Available in 5 colourways and sizes of 132 x 132mm and 65 x 200mm, this range is suitable for all internal wall applications.



COLOURS



Blanc




Gris Nuage



Lavanda Blue



Rose



Wheat

FORMATS




132 x 132mm
(6 Faces)



62 x 200mm
(12 Faces)

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





Blanc



132 x 132mm

LARBLA132 (gloss)



65 x 200mm

LARBLA652 (gloss)



Gris Nuage



132 x 132mm

LARGRI132 (gloss)



65 x 200mm

LARGRI652 (gloss)



Lavanda Blue



65 x 200mm

LARLAV652 (gloss)



Rose



132 x 132mm

LARROS132 (gloss)




65 x 200mm

LARROS652 (gloss)



Wheat



132 x 132mm

LARWHE132 (gloss)



65 x 200mm

LARWHE652 (gloss)

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	$\leq 0.5\%$	> 10%	Full range
	Determination of dimensions	ISO 10545-2	Length and width $\pm 0.75\%$ Thickness $\pm 5.00\%$	Length and width $\pm 0.5\%$ Thickness $\pm 10\%$	Full range
	Breaking strength	ISO 10545-4	≥ 1300 N	> 600N	Full range
	Modulus of rupture	ISO 10545-4	≥ 35 N/mm ²	> 12 N/mm ²	Full range
	Abrasion resistance	ISO 10545-6	Class 3 min	Class 3	Full range
	Chemical resistance	ISO 10545-13	GB min.	GLA, GHB, GA	All finishes
	Stain resistance	ISO 10545-14	Class 3 min.	Class 5	Full range
	Origin	N/A	N/A	Italy	Full range
	Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
132 x 132	Gloss	57	57.39	16.05 kg	59.59	60
65 x 200	Gloss	38	76.92	15.33 kg	59.28	120



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, Japan Ceramics will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.