

Metastone

Inspired by the fundamental elements of great design elegance, texture, precision, and form this collection embodies the balance between natural beauty and refined craftsmanship.

Drawing from the rich texture of Spanish cobbled stone, its surface captures the organic rhythm of pebbles while introducing a distinctly modern sophistication. The interplay of light and shadow across the cobbled pattern creates subtle depth, adding warmth, movement, and visual interest to any interior or exterior space.

The range is offered in a versatile in/out surface finish across 600x1200, 600x600, 300x600, and 300x300mm formats, complemented by a striking arrowhead chevron mosaic. For outdoor continuity, it extends to a textured 20mm paver and matching bullnose, achieving a seamless indoor-outdoor flow that unites elegance with practicality.

META STONE

COLOURS, FORMATS & FINISHES




In/Out P4	White	Sand	Grigio
600 x 1200mm	●	●	●
600 x 600mm	●	●	●
300 x 600mm	●	●	●
300 x 300mm	●	●	●
75 x 300mm	●	●	●
300 x 300mm Arrowhead	●	●	●

Textured P5	White	Sand	Grigio
600 x 600mm 2CM Paver	●	●	●
398 x 600mm Coping Paver	●	●	●

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2
FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2



White



600 x 600mm
54556 (in/out)
54550 (Textured 2CM)




600 x 1200mm
54549 (in/out)




300 x 300mm
54553 (in/out)



75 x 300mm
54552 (in/out)



300 x 300mm
54554 (in/out)



398 x 600mm Coping
54551 (Textured)



300 x 600mm
54547 (in/out)

Sand



600 x 600mm
54540 (in/out)
54542 (Textured 2CM)




600 x 1200mm
54541 (in/out)



300 x 300mm
54545 (in/out)




75 x 300mm
54544 (in/out)



300 x 300mm
54562 (in/out)



398 x 600mm Coping
54543 (Textured)



300 x 600mm
54563 (in/out)



Grigio



600 x 600mm
METGR60 (in/out)
METGR60-20 (Textured 2CM)



600 x 1200mm
METGR612 (in/out)




300 x 300mm
METGRX (in/out)




75 x 300mm
METGR7530 (in/out)



300 x 300mm
METGR30 (in/out)



398 x 600mm Coping
METGR46-20L (Textured)



300 x 600mm
METGR36 (in/out)



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.5\%$	Full range
	Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.3\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.4\%$	Length and width $\pm 0.3\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.4\%$	Full range
	Breaking strength	EN ISO 10545-4	≥ 1300 N	≥ 1300 N	Full range
	Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²	Full range
	Abrasion resistance	EN ISO 10545-7	Report Abrasion Class	Class 3	Full range
	Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	TBC	Matt Textured
	Chemical resistance	EN ISO 10545-13	Min. B	Class B	Full range
	Stain resistance	ISO 10545-14	Min class 3	Class 3	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300 Arrowhead Mosaic	In/out	10	10	2.80kg Per Piece	N/A	N/A
75 x 300	In/out	36	44.44	22.22kg	58.32	72
300 x 300	In/out	11	11.11	22.22 kg	55.44	56
300 x 600	In/out	8	5.56	21.52 kg	57.60	40
398 x 600 Coping	Textured	2	2	11.25 kg Per Piece	N/A	N/A
600 x 600	In/out	4	2.78	21.52 kg	57.60	40
600 x 600 2cm pavers	In/out	2	2.78	46.53 kg	28.80	40
600 x 1200	In/out	2	1.39	23.61 kg	57.60	40

The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.